

## DATASHEET



### Polyurethane ESD chair

SKU: RS-K4ESD-B



### Description

Antistatic chair made of soft, conductive polyurethane ( $R_G < 10^9 \Omega$ ), with an anti-slip seat. The chair has a five-branched base made of chromium-plated steel. It ensures high stability and unfailing removal of electrostatic charges. Height adjustment can be achieved thanks to a gas column, providing three chair heights to choose from. Very easy to be cleaned and maintained. The chair can be equipped with conductive wheels or sliding glides and additional accessories.

### Technical data:

|   |  |
|---|--|
| Resistance to groundable point $R_G$              | $10^6 - 10^8 \text{ Ohm}$  |
| Seat and backrest resistance point to point $R_P$ | $10^5 - 10^6 \text{ Ohm}$  |
| Plastic parts resistance point to point $R_P$     | $10^8 - 10^9 \text{ Ohm}$  |
| Seat height adjustment range [mm]                 | 460 – 585 or 520 – 720 or 625- 865 *toleration of +/- 2cm                              |
| Seat size [mm]                                    | 470 x 430  |
| Backrest size [mm]                                | 310 x 415  |
| Chair comply with the standards                   | EN 61340-5-1, PN-EN 1335-1:2004, PN-EN 1335-2:2009, PN-EN 1335-3:2009, PN-EN 1022:2007 |