



**ESD BASIC CHAIRS**

SKU: Please refer to available models table



**PRODUCT DESCRIPTION**

Standard ESD chair, covered with high-quality conductive fabric ( $RG < 10^6 \Omega$ ). The chair has a five-branched base made of chromium-plated steel. It ensures high stability and unfailing removal of electrostatic charges. The seat is made of profiled, highly elastic, casted foam. The backrest can be adjusted in three planes. Height adjustment can be achieved thanks to a gas column, providing three chair heights to choose from. The chair can be equipped with conductive wheels or sliding glides, and additional accessories. The chair has a certificate of safety and ergonomics of use.

**FEATURES:**

Resistance to groundable point $R_G$	$10^6 - 10^8 \text{ Ohm}$
Fabric resistance point to point $R_P$	$10^5 - 10^6 \text{ Ohm}$
Plastic parts resistance point to point $R_P$	$10^8 - 10^9 \text{ Ohm}$
Seat height adjustment range [mm]	Please check the available models table.
Seat size [mm]	440 x 460
Backrest size [mm]	430 x 500
Fabric abrasion resistance	60 000 cycles
Chair comply with the standards	EN 61340-5-1, PN-EN 1335-1:2004, PN-EN 1335-2:2009, PN-EN 1335-3:2009, PN-EN 1022:2007
Fabric comply with the standards	EN 1021-1, EN 1021-2, BS 7176

**AVAILABLE MODELS:**

RS-K1ESD	ESD Basic chair, seat height adjustment range: 475 – 600mm.
RS-K2ESD	ESD Basic chair, seat height adjustment range: 545 – 745mm.
RS-K3ESD	ESD Basic chair, seat height adjustment range: 650 – 890mm. This model comes with glides only.

