



TECHNICAL DATASHEET

ESD Protection Solutions

SKU: AE000001, AE000011, AE000012, AE000013

L Shaped Under Bench Earth Bonding Bracket

L-Shaped Under Bench Earth Bonding Bracket

This essential component guarantees an electrostatic discharge (ESD) safe workspace when properly connected. The bracket features versatile connection options, accommodating 4mm, 100mm, and banana plug connections to establish multiple pathways. It comes with standard 2-meter-long leads equipped with eyelet terminations. The bracket includes a 1M Ohm resistor and is available in several configurations.

The bright yellow design ensures easy identification, and it comes with fitting screws for secure installation.

FEATURES & BENEFITS:

- Designed to be fixed to the work-bench
- Fitted with 3 x 1 Megohm resistor, one for each connection
- Material: ABS
- Configurations can include 10mm studs and 4mm banana sockets
- Supplied with fitting screws
- 2m earth wire with eyelet termination
- Supports EN 5-61340 and can be used as part of an ANSI/ESD S20.20 program









PRODUCT CODE	DESCRIPTION	CONNECTION TYPE	NOTES
AE000001	Earth Bonding Bracket	3 x 10mm stud	EACH
AE000011	Earth Bonding Bracket	3 x 4mm banana	EACH
AE000012	Earth Bonding Bracket	2 x 4mm banana + 1 x 10mm stud	EACH
AE000013	Earth Bonding Bracket	2 x 10mm stud + 1 x 4mm banana	EACH







