





RELENTLESS ALL-TERRAIN DISPENSER

Introducing - The Scorpion - State of the art technology with a wide range of applications.



INTEGRATION IN ANY LINE

dispense technology.

- Up to 4 valves simultaneously
- 5 different valves, large application range

productivity.

- Up to 100'000 dots/h (with Piezo Jet Valve)
- High uptime with automated process control

large dispense area

- Up to 600 x 430 mm (23.6 x 16.9")
- Up to 80 mm (3.35") programmable Z stroke

easy integration.

- Integrable in high speed lines from any vendor
- Dots, lines, curves and free form patterns


laser height mapping.

- Mapping of heights using laser technology
- Compensation for substrate warp / 3D contour

ultra small fluid box.

• Expensive fluid waste is minimised with a fluid path of less than 70 micro liters





Full operator support - Automated error analysis & KPI. Training, support and troubleshooting via advanced remote access. Investment protection;



Four processes at the same time. Plug and Play for valve change. Piezo Jet Valve - super high speed for low viscosity. Solder Jet, Volume Displacement, Time/Pressure, Archimedean Screw Valve



21.5", 16:9 HD wide touch screen, fingertip operation, universal CAD conversion, Windows 10 - 64 bit, zoom at camera windows, all-in-one job planning, setup

optional

Valves & Pumps


Media Heating Needle and jet heating system

Level Detection Automatic syringe level detection

Process Control Process control adjustment & stabilization

Vacuum Cleaning Station, High Precision Scale, Clean Room, Heating/Vacuum Table Full process control meeting automotive standards and more

www.essemlec.com







CHOOSE YOUR PREFERENCES

scorpion.

			•	
	Process	Max. dispensing speed	Piezo Jet: 100'000 dots/h Pneumatic Jet: 60'000 dots/h	Time/Pressure: 20'000 dots/h Archimedean Screw: 20'000 dots/h
		Dispensing mode	Dot, line, curve, interpolated 3D	contour
	Accuracy	Placement XY dots	51 μm (3σ)	
		Positioning Z axis	20 μm (3σ)	
	PCB	PCB dimensions	20 x 20 mm up to 600 x 430 mm	(0,8 x 0,8" up to 23.6 x 16.9")
	Dimensions	Machine footprint	1280 x 1420 mm (50.4 x 55.9")	



Wildlife consistently shows us with breathtaking flexibility how nature can adapt itself to the many different demands of its environment; that is what inspires us! Essemtec AG is a privately owned company with its development and production site in Switzerland. The product portfolio comprises of production equipment for electronic assembly and more. Our high tech solutions can be adjusted quickly and easily to meet wide ranging requirements; we are therefore able to respond to all manner of customer requests. That's why "naturally adaptive" is our motto across all ranges.

Disclaimer & Copyright:

The information contained in this brochure is for general information purposes only. For more information see the specification sheet. All materials contained in this brochure are copyright © Essemtec AG, Switzerland, May 2017

FLEXIBLE SMT SOLUTIONS

Essemtec AG

Mosenstrasse 20 Phone: +41 (0)41 919 60 60 CH-6287 Aesch/LU Fax: +41 (0)41 919 60 50 Switzerland Mail: info@essemtec.com





www.essemtec.com