

FILTERS



PALLETS



MECHANICAL

**SHORT**

**FluxCLEAN 850**



This configuration is for smaller parts with bath length up to 850 mm.

**LONG**

**FluxCLEAN 1200**


This configuration is for bigger parts with bath length up to 1200 mm.

*Usable space of BATH*



#### APPLICATION

- ▣ Cleaning condensation traps, filters from reflow ovens
- ▣ Cleaning solder pallets
- ▣ Cleaning dust and other contamination from handling
- ▣ Mechanical parts cleaning



#### TECHNICAL PARAMETERS & PROCESS DATA

##### FluxCLEAN Short 850

External dimension of the equipment: (L × W × H)	1 800 × 1 210 × 1 150 mm
Weight of the equipment:	173 kg (w/o liquid)
Maximal dimension of the washed object:	500 × 850 × 550 mm
Volume of the washing / rinsing bath:	310 L
Recommended cleaning agent:	Water based cleaner
Concentration	15–20 %
Temperature:	Ambient Air
Recommended washing time:	30 min.
Recommended rinsing time:	10 min.
Air pressure supply:	0.4–0.7 MPa
Air pressure consumption	max 480 l/h
Compressed air connection	Hose - SMC ø 12 mm
Extraction from drying chamber (voluntary)	3x Hose ø 100 mm



##### FluxCLEAN Long 1200

External dimension of the equipment: (L × W × H)	1 800 × 1 560 × 1 150 mm
Weight of the equipment:	214 kg (w/o liquid)
Maximal dimension of the washed object:	500 × 1 200 × 550 mm
Volume of the washing / rinsing bath:	425 L
Recommended cleaning agent:	Water based cleaner
Concentration	15–20 %
Temperature:	Ambient Air
Typical washing time:	30 min.
Typical rinsing time:	10 min.
Air pressure supply:	0.4–0.7 MPa
Air pressure consumption	max 480 l/h
Compressed air connection	Hose - SMC ø 12 mm
Extraction from drying chamber (voluntary)	3x Hose ø 100 mm



**INSTALLATION**

The following service and maintenance area is required:

- ▣ From the front side of equipment - minimal 1.2 m - space for equipment operation
- ▣ The left side - accessing area to discharge ball valves
- ▣ From the rear side - minimal 0.5 m - space for maintenance



**DIMENSIONS**  
FluxCLEAN 850



**DIMENSIONS**  
FluxCLEAN 1200

